AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

- 1. (currently amended) A floating self-propelled cleaning device for water surfaces comprising:
 - a) a floating body;
- b) at least one net-shaped collecting container connected to said floating body and having an inlet;
- c) <u>a first and a second propelling means suitable</u> for eausing generating opposite thrusts that cause the rotation of said floating body to rotate so that the inlet of said container sweeps a portion of the water surface;
- d) means for providing and switching energy alternately to each of the first and second propelling means so as to generate intermittent thrusts for thereby causing a shifting movement to said floating body that serves, together with said rotation, to move the floating body horizontally on the water surface; and
- e) at least one energy source for said <u>first and second propelling</u> means for causing a rotation to the floating body.
- 2. (original) The device, according to claim 1, wherein said means for causing said floating body to rotate comprises at least one jet means suitable for generating a thrust that causes the rotation of said floating body about an instantaneous centre of rotation.
- 3. (original) The device, according to claim 1, wherein said floating body comprises a central body and two side floating elements connected to said central body from opposite sides.
- 4. (original) The device, according to claim 1, wherein said means for causing a shifting movement comprises at least a distribution element movable with respect to said floating body suitable for cooperating with said or each propelling means for generating intermittent thrusts.

- 5. (original) The device, according to claim 1, wherein said means for causing a rotation comprises a first and a second propelling means arranged at said side floating elements and opposite to each other, said means for causing a rotation comprising two water jets forming a propelling couple with respect to said centre of rotation.
- 6. (original) The device, according to claim 2, wherein said or each propelling means is in a position distanced from the centre of rotation.
- 7. (original) The device, according to claim 1, wherein said means for causing a shifting movement comprises at least a distribution element movable with respect to said floating body suitable for operating said or each propelling means for generating intermittent thrusts.
- 8. (currently amended) The device, according to claim 7, A floating self-propelled cleaning device for water surfaces comprising:

 a) a floating body;

 b) at least one net-shaped collecting container connected to said floating body and having an inlet;

 c) a first and a second propelling means suitable for generating opposite thrusts that cause the rotation of said floating body so that the inlet of said container sweeps a portion of the water surface;

 d) means for providing and switching energy alternately to each of the first and second propelling means so as to generate intermittent thrusts thereby causing a shifting movement to said floating body that serves, together with said rotation, to move the floating body horizontally on the water surface; and
- wherein said means for causing a shifting movement comprises at least one distribution element movable with respect to said floating body suitable for operating each propelling means for generating intermittent thrusts and wherein said distribution element comprises a blade dipped indisposed substantially under the water when in use and associated to with a distribution

element <u>for selecting alternatively alternately selecting each propelling means.</u>

at least one energy source for said first and second propelling means,

1185734

9. (currently amended) The device, according to claim 8, A floating self-propelled cleaning device for water surfaces comprising: a) a floating body; at least one net-shaped collecting container connected to said floating body and b) having an inlet; a first and a second propelling means suitable for generating opposite thrusts that c) cause the rotation of said floating body so that the inlet of said container sweeps a portion of the water surface; means for providing and switching energy alternately to each of the first and d) second propelling means so as to generate intermittent thrusts thereby causing a shifting movement to said floating body that serves, together with said rotation, to move the floating body horizontally on the water surface; and at least one energy source for said first and second propelling means, wherein said means for causing a shifting movement comprises at least one distribution

wherein said distribution element comprises a blade disposed substantially under the water when in use and associated with a distribution element for alternately selecting each propelling means and

element movable with respect to said floating body suitable for operating each propelling means

wherein said distribution element is a cam disk that operates alternatively each propelling means alternately by a switch.

- 10. (original) The device, according to claim 7, wherein said distribution element is a two-way valve arranged in a central chamber of a deflecting element that directs alternatively a water flow to two outlets having apertures oriented in opposite directions in order to generate a thrust in corresponding opposite directions.
- 11. (original) The device, according to claim 1, wherein at least a feeler pawl is provided suitable for blocking the delivery of energy to a corresponding propelling means when the device meets an obstacle.

1185734 4

for generating intermittent thrusts,